

Clearwater Chip Facility - 9AM - Tuesday – Nov. 1 - Held in Kooskia, ID

1	1 each	16	1 each	29	1 each
	600MM ADJUSTABLE WRENCH		5', 5-STRAND H124 CHAIN TRANSFER		G.E. 600HP/885RPM/2300 VOLT/6346S FRAME MOTOR
2	1 each	17	1 each	30	1 each
	RIDGID 36" PIPE WRENCH		19' LONG X20' WIDE CHAIN DRIVEN JUMP ROLLCASE W/SPARE ROLLS		13' TWIN-STRAND H480 DRAG CHAIN CONVEYOR
3	1 each	19	1 each	31	1 each
	RABBIT WIRE CUTTER		SKK 10HP/37RPM GEARHEAD MOTOR		40' TWIN-STRAND S-DRIVE H480 DRAG CHAIN CONVEYOR TROUGH (2 PIECES)
4	1 each	20	1 each	32	1 each
	LOT, STRAPPING TOOLS		SKK 10HP/37RPM GEARHEAD MOTOR		SKK 10HP/45RPM GEARHEAD MOTOR
5	1 each	21	1 each	33	1 each
	HILTI DX350 POWDER ACTUATED TOOL		SKK 10HP/56RPM GEARHEAD MOTOR		SKK 20HP/45RPM GEARHEAD MOTOR
6	1 each	22	1 each	34	1 each
	MILWAUKEE ELECTRIC IMPACT WRENCH		6', 4-STRAND H78 ROOFTOP CHAIN LUMBER LANDING TABLE		SKK 10HP/56RPM GEARHEAD MOTOR
7	1 each	23	1 each	35	1 each
	LOT, PILLOW BLOCK BEARINGS		12'X12" BELT CONVEYOR		SKK 7-1/2HP/56RPM GEARHEAD MOTOR
8	1 each	24	1 each	36	1 each
	DRILL DOCTOR DRILL SHARPENER		SKK 2HP/155RPM GEARHEAD MOTOR		TOSHIBA 7-1/2HP MOTOR W/SKK 10HP RATED 125RPM REDUCER
9	1 each	25	1 each	37	1 each
	HYDRAULIC BOTTLE JACK		18" DIA. BLOWPIPE HARDBACK		LSI 7-BAY DROP OUT STUD SORTER, BAYS & MEASURES ARE 16'4" WIDE X4' LONG - PACKAGE TAKE AWAY TRANSFER IS 34' LONG
10	1 each	26	1 each	38	1 each
	HYDRAULIC BOTTLE JACK		LOT, SHAFTING & SPROCKETS		SHAFT W/PARTIAL LOG KICKER ASSEMBLY
11	1 each	27	1 each	39	1 each
	HYDRAULIC BOTTLE JACK		12' FIXED SAW BOARD TRIMMER W/ (3) ARBOR MOTORS, FEED THROUGH LUGGED H78 CHAIN TRANSFER		14'X10' WIDE SLAT CHAIN TRANSFER W/H&T SHAFT
12	1 each	28	1 each	40	1 each
	HYDRAULIC BOTTLE JACK		7', 5-STRAND S-DRIVE, H124 CHAIN TRANSFER W/STOP PINS & CYLINDERS		LOT, GREEN STRUCTURAL STEEL W/CHAIN GUARDS
13	1 each				
	BLACK & DECKER JIG SAW				
14	1 each				
	COSCO ARTICULATED LADDER				
15	1 each				
	6' FIBERGLASS STEP LADDER				

Clearwater Chip Facility - 9AM - Tuesday – Nov. 1 - Held in Kooskia, ID

41	1 each 21"X35" S-DRIVE BELT CONVEYOR	53	1 each LOT, BLOWER AIR INTAKE TANK & SILENCER	131	1 each SEW EURODRIVE 20HP/40.32:1 RATIO GEARHEAD MOTOR W/DRIVE CHAIN (LOT 130 DRIVE)
42	1 each 18', 4-STRAND 81XH CHAIN PACKAGE DECK	54	1 each LOT, BLOWPIPE	132	1 each 65', 4-STRAND H480 DRAG CHAIN CHIP CONVEYOR FEEDING SCREEN W/H&T SPROCKETS, S-DRIVE, UHMW LINED STEEL TROUGH & RETURN, SUPPORTS TO GROUND
43	1 each 10-1/2' WIDE X 10-1/2' HIGH 6- STRAND 81X CHAIN LUMBER SINGULATOR W/CHAIN CROSS BARS (NO DRIVE)	55	1 each TOSHIBA 200HP/1780RPM MOTOR W/BASE, SHEAVE, DRIVE BELTS	133	1 each WESTINGHOUSE 50HP MOTOR W/SEW EURODRIVE BELT DRIVEN 29.87:1 RATIO REDUCER, DRIVE CHAIN (LOT 132 DRIVE-PLEASE PREVIEW)
44	1 each SKK 5HP/45RPM GEARHEAD MOTOR, DRIVE CHAINS (MODEL 43 DRIVE)	125	1 each PRECISION 118-36 118"-6- KNIFE HORIZONTAL FEED, BOTTOM DISCHARGE WHOLE LOG CHIPPER W/DRIVE BELTS, BELT GUARD, CABINET BEHIND CHIPPER W/PARTS C3365	134	1 each BM&M 10'X20' 3-DECK CHIP SCREEN W/1/4" ROUND FINES, 1-3/4" OFFSET SQUARE OVERS SCREEN, OVERS DISCHARGE LEFT, ACCEPTS GO STRAIGHT, FINES/PAN DIS- CHARGE TO RIGHT 3695
45A	1 each 8', 7-STRAND TRANSFER FRAME	126	1 each G.E. 600HP/885RPM/6346S FRAME/2300 VOLT CHIPPER DRIVE MOTOR W/BASE	135	1 each PRECISION CYCLONE W/BLOWPIPE TO RE- CHIPPER
45B	1 each 14'X12" BELT CONVEYOR	127	1 each G.E. 600HP/885RPM/6346S FRAME/2300 VOLT CHIPPER DRIVE MOTOR W/BASE	136	1 each PUSH BUTTON CONTROL PANEL
46	1 each LOT, 13-1/2 X 12" & 23'X12" BELT CONVEYOR	128	1 each DOWMAX ME750AKTE HYDRAULIC CHIPPER STARTER/ CHIPPER BREAK MOTOR W/RUBBER TIRE ASSEMBLY, CYLINDER, CHAIN GUARD	137	1 each HOSE REEL (30 DAY POST AUCTION REMOVAL)
47	1 each DEBARKER INFEED LOG CONTAIN- MENT HOOD	129	1 each 36" DOUBLE KNURLED ROLL CHIPPER FEEDER W/(2) DOWMAX ME750AKTE & ME1300AKTE HYDRAULIC DRIVE MOTORS	138	1 each HYDRAULIC OPERATED LOG SPLITTER-9'X56" LOG DIA. CAP., W/12', 7-STRAND CAMELBACK CHAIN SPLITTER DECK W/H&T SHAFTS, LOG
48	1 each 33'X18" BELT CONVEYOR (NO DRIVE)	130	1 each 48' TWIN-STRAND H132 CHAIN CHIPPER INFEED LOG HAUL CONVEYOR W/H&T SPROCKETS, S- DRIVE, STEEL TROUGH		
49	1 each SKK 3HP/45RPM GEARHEAD MOTOR				
50	1 each LOT, 8' END EVENING ROLLS				
51	1 each LOT, 33" ROLLCASE ROLLS				
52	1 each LUMBER STACKING FRAME				

Clearwater Chip Facility - 9AM - Tuesday – Nov. 1 - Held in Kooskia, ID

STRAIGHTENING PIN STOPS
& CYLINDERS, HYDRAULIC
DRIVE MOTOR, STEEL
SUPPORTS TO EXPANDED
METAL DECKING LEVEL,
HYDRAULIC PIPING TO
HYDRAULIC PUMP ROOM

139 1 each
15', 7-STRAND H78 CHAIN
SPLITTER OUTFEED DECK
W/HEAD SPROCKETS, S-
DRIVE SHAFT, STEEL RACES
& PLATE, PIN STOPS
SUPPORTS TO EXPANDED
METAL DECKING LEVEL
(NO TAIL SHAFT)

140 1 each
12', 7-STRAND H78 CHAIN
SPLITTER INFEED DECK
W/TAIL SPROCKETS, S-
DRIVE SHAFT, STEEL RACES
& PLATE, SUPPORTS TO
EXPANDED METAL
DECKING LEVEL (NO HEAD
SHAFT)

141 1 each
DOWMAX ME1300AKTE
HYDRAULIC DRIVE MOTOR
W/DRIVE CHAIN, VALVE,
FLEX HOSE (LOT 139 DRIVE)

142 1 each
DOWMAX ME1300AKTE
HYDRAULIC DRIVE MOTOR
W/DRIVE CHAIN, VALVE,
FLEX HOSE (LOT 140 DRIVE)

143 1 each
104" INSERT TOOTH,
HYDRAULIC ACTUATED,
SWING ARM LOG CUTOFF
CIRCULAR SAW W/100HP
DRIVE MOTOR, 4
HYDRAULIC LOG CLAMPS,
FLEX HOSES, SUPPORTS TO
EXPANDED METAL
DECKING LEVEL

144 1 each
40', 2-STRAND H132 CHAIN
LOG HAUL CONVEYOR ON

C.O. SAW INFEED W/H&T
SPROCKETS, S- DRIVE,
SUPPORTS TO EXPANDED
METAL DECKING LEVEL

145 1 each
SEW EURODRIVE
20HP/40.32:1 RATIO
GEARHEAD MOTOR
W/DRIVE CHAIN (LOT 144
DRIVE)

146 1 each
16', 2-STRAND H132 DRAG
CHAIN LOG HAUL
CONVEYOR ON C.O. SAW
OUTFEED W/H&T
SPROCKETS, S- DRIVE, LOG
LENGTH STOP ARMS, 2-ARM
LOG KICKER, VALVE,
SUPPORTS TO EXPANDED
METAL DECKING LEVEL

147 1 each
10HP MOTOR W/SEW
EURODRIVE BELT DRIVEN
19.57:1 RATIO REDUCER
W/DRIVE CHAIN (LOT 146
DRIVE)

148 1 each
10'X10'X7-1/2' SOUND
REDUCED OPERATORS'
CONTROL BOOTH W/ALL
CONTENTS, SUPPORTS TO
EXPANDED METAL
DECKING LEVEL

149 1 each
49', 2-STRAND H132 DRAG
CHAIN LOG HAUL
CONVEYOR ON CHIPPER
INFEED W/H&T SPROCKETS,
S- DRIVE, STEEL TROUGH,
SUPPORTS TO EXPANDED
METAL DECKING LEVEL

150 1 each
LOT, (2) YARD LIGHTS, (1)
BEHIND CHIPPER

151 1 each
LOT, STEEL SUB
STRUCTURE UNDER CHIP

MILL TOP FLOOR W/STAIR-
WAYS, CATWALKS, FROM
LOT TAG THROUGH
CHIPPER AREA, (NO
VERTICAL STEEL BEAMS IN
ROW BEHIND LOT TAG)

152 1 each
LOT, (2) HOSE REELS (1 BY
SURGE BIN)

153 1 each
OVERHEAD 40"X24" WASTE
BELT CONVEYOR W/H&T
DRUMS, STEEL TROUGH,
CHEVRON BELT, DRIVE
MOTOR, DODGE SHAFT
MOUNT REDUCER

154A 1 each
40', H480 DRAG CHAIN
WASTE CONVEYOR W/H&T
SPROCKETS, STEEL TROUGH
SLOPES

154B 1 each
SEW EURODRIVE 7-
1/2HP/28RPM GEARHEAD
MOTOR

155 1 each
SUTORBILT 1640-6211 HIGH
PRESSURE ROTARY LOBE
BLOWER W/AIR INTAKE &
SILENCER 292059

156 1 each
WEG 400HP/1194RPM/460
VOLT BLOWER DRIVE
MOTOR

157 1 each
55"X36" CHIP FEEDER
W/INJECTOR PIPE, SM
CYCLO GEARHEAD MOTOR

158 1 each
30"X30" CHIP FEEDER
W/INJECTOR PIPE, DRIVE
MOTOR, BROWNING SHAFT
MOUNT REDUCER

159 1 each
LOT, BLOWPIPE FROM LOT

Clearwater Chip Facility - 9AM - Tuesday – Nov. 1 - Held in Kooskia, ID

157 FEEDER TO FIRST
CONNECTION THIS SIDE OF
SAWMILL BUILDING

160 1 each
LOT, BLOWPIPE FROM LOT
158 FEEDER TO FIRST
CONNECTION THIS SIDE OF
SAWMILL BUILDING

161 1 each
37'X24" BELT CONVEYOR
W/H&T DRUMS, S-DRIVE,
STEEL TROUGH, CHEVRON
BELT

162 1 each
SEW EURODRIVE
10HP/33.47:1 RATIO
GEARHEAD MOTOR, DRIVE
CHAIN (LOT 161 DRIVE)

163 1 each
21'X36" BELT CONVEYOR
W/H&T DRUMS, S-DRIVE,
STEEL TROUGH

164 1 each
SEW EURODRIVE
10HP/20.77:1 RATIO
GEARHEAD MOTOR, DRIVE
CHAIN (LOT 163 DRIVE)

165 1 each
LOT, H480 DRAG CHAIN
W/HEAD, TAIL, S-DRIVE
SPROCKETS IN SURGE BIN
CLOSEST TO ROAD

166 1 each
LOT, H480 DRAG CHAIN
W/HEAD, TAIL, S-DRIVE
SPROCKETS IN SURGE BIN
FARTHEST FROM ROAD

167 1 each
TOSHIBA 30HP MOTOR
W/BELT DRIVEN SEW
EURODRIVE 27.41:1 RATIO
REDUCER, DRIVE CHAIN

168 1 each
WEG 30HP MOTOR W/BELT
DRIVEN SEW EURODRIVE

27.41:1 RATIO REDUCER,
DRIVE CHAIN

169 1 each
LOT, (2) WELDED STEEL
SURGE BINS W/COMMON
WALL (APPROX 140 UNITS)

170 1 each
APPROX 104X48" COVERED
TROUGH- ING ROLL BELT
CONVEYOR FEEDING
SURGE BIN W/CHEVRON
BELT, H&T DRUMS, S-
DRIVE, CATWALKS, ROOF
OVER HEAD DRUM, STEEL
SUPPORTS

171 1 each
SEW EURODRIVE
20HP/14.75:1 RATIO
GEARHEAD MOTOR DRIVE
CHAIN (LOT 170 DRIVE)

172 1 each
APPROX 93'X24" COVERED
BELT CONVEYOR FEEDING
SURGE BIN W/CHEVRON
BELT, S-DRIVE, CAT-
WALKS, ROOF OVER HEAD
DRUM, STEEL SUPPORTS

173 1 each
DODGE 20HP/56RPM
GEARHEAD MOTOR, DRIVE
CHAIN (LOT 172 DRIVE)

175 1 each
25'X24" FINES BELT
CONVEYOR W/CHEVRON
BELT, H&T DRUMS, STEEL
TROUGH

176 1 each
SEW EURODRIVE 7-
1/2HP/14.46:1 RATIO
GEARHEAD MOTOR, DRIVE
CHAIN (LOT 177 DRIVE)

178 1 each
SQUARE D 2500 AMP, 480
VOLT 3-SECTION
SWITCHBOARD W/SOLID
STATE 2500 AMP MAIN

BREAKER, 1200 AMP MCC
BREAKER, (5) ASSORTED
BREAKERS

179 1 each
SAFTRONICS 400HP SOLID
STATE REDUCED VOLTAGE
STARTER

180 1 each
SAFTRONICS 200HP SOLID
STATE REDUCED VOLTAGE
STARTER

181 1 each
SAFTRONICS 125HP SOLID
STATE REDUCED VOLTAGE
STARTER

182 1 each
SAFTRONICS 100HP SOLID
STATE REDUCED VOLTAGE
STARTER

183 1 each
CUTLER HAMMER 9-
SECTION, 41-STATION
MOTOR CONTROL CENTER

184 1 each
CUTLER HAMMER 50KVA
480 TO 120/240 VOLT SINGLE
PHASE TRANSFORMER

185 1 each
SQUARE D OMEGAPAK 50HP
ADJUSTABLE FREQUENCY
AC MOTOR CONTROLLER

186 1 each
SQUARE D OMEGAPAK 30HP
ADJUSTABLE FREQUENCY
AC MOTOR CONTROLLER

187 1 each
SQUARE D OMEGAPAK 30HP
ADJUSTABLE FREQUENCY
AC MOTOR CONTROLLER

188 1 each
LOT, (3) ASSORTED
ELECTRIC BOXES

Clearwater Chip Facility - 9AM - Tuesday – Nov. 1 - Held in Kooskia, ID

- 189 1 each
LOT, CONDUIT & WIRE IN
CHIP FACILITY AREA-NO
INTERNAL WIRE ON ANY
MACHINERY, NO CONTROL
WIRE-WIRE DISCONNECTS
AT IN & OUTFEED LUGS ON
ELECTRIC BOXES LUGS
STAY W/BOXES
- FILLED TRANSFORMER,
60HZ, 2-2- 5 PER CENT A&B
TAPS, 65 DEGREES C RISE
- 190 1 each
CHIP FACILITY HYDRAULIC
SUPPORT UNIT W/(3) 100HP,
(1) 5HP HYDRAULIC PUMPS
- 191 1 each
PRECISION 48-11 48", 8-
KNIFE DROP FEED, TOP
DISCHARGE RE-CHIPPER
W/G.E. 100HP MOTOR
- 192 1 each
APPROX 35'X17' CHIPPER
FEED BELT CONVEYOR
W/H&T DRUMS, STEEL
TROUGH
- 193 1 each
SEW EURODRIVE 7-
1/2HP/14.46:1 RATIO
REDUCER, DRIVE CHAIN
(LOT 192 DRIVE)
- 194 1 each
LOT, CABINET
W/PRECISION CHIPPER
PARTS, DRIVE BELTS IN
ELECTRICS ROOM
- 195 1 each
MCC CABINET W/(2)
SIEMENS ALLIS NEMA SIZE
H2, 600HP/2300 VOLT
CHIPPER MOTOR STARTERS
- 196 1 each
G.E. 13.8KV LOAD
INTERRUPTER SWITCH
- 197 1 each
1500KVA, 13200Y/7620
PRIMARY VOLTS-2400Y/1385
SECONDARY VOLTS, 3
PHASE CLASS OA OIL