

Weyerhaeuser - 10AM - Thursday - April 10 Held in Pine Hill, Alabama

1	1 each SM CYCLO 37-1/2 HP RATED/ 29:1 RATIO REDUCER (LOCATED UNDER SOUTH SIDE OF FILING ROOM)	NORTH OF CHIP & SAW INFEED)	23	1 each ARMSTRONG 54 CIRCULAR SAW HAND SHARPENER	
2	1 each FALK 20.93:1 RATIO REDUCER	11	1 each LOT, EXPANDED METAL CATWALK & STAIRWAYS ON 2ND FLOOR OF MILL (LOCATED BETWEEN CHIP & SAW, ON NORTH END OF BUILDING)	24	1 each ARMSTRONG 5 BANDSAW STRETCHER ROLL W/LEVELING BLOCKS & TABLE
3	1 each FALK 12 HP RATED/ 25.03:1 RATIO REDUCER	12	1 each LOT, ALL LIGHT FIXTURES ON 2ND FLOOR OF MILL (LOCATED BETWEEN KOCKUMS BAND MILL & NORTH END OF BUILDING - APPROX. 20 FIXTURES)	25	1 each BUEHLER 10-1010 CUT- OFF MACHINE
4	1 each MORSE 9.6 HP RATED/ 20:1 RATIO REDUCER	13	1 each 60 HP HYDRAULIC PUMP (LOCATED ON WEST SIDE OF CHIP & SAW INFEED)	26	1 each 18" BANDSAW BLADE WELDING CLAMP
5	1 each RADICON 5:1 RATIO REDUCER	17	1 each 29" DIA. ROTARY SAW WORKTABLE W/ANVIL (LOCATED IN FILING ROOM)	27	1 each DUSTKOP DUST COLLECTOR
6	1 each G.E. 75 KVA, 480 TO 120/240V TRANSFORMER W/200 AMP DISCONNECT SWITCH	18	1 each ARMSTRONG 6900BA PNEUMATIC SHAPER	28	1 each DUSTKOP DUST COLLECTOR
7	1 each LOT, ASSORTED MILL PARTS & SUPPLIES ON TWO PALLETS	19	1 each LOT, (10) 8"X 1/4" X 1-1/4" GRINDING WHEELS	29	1 each 34' 7-STRAND H150 CHAIN LOG DECK W/H&T SPROCKETS, S-DRIVE SHAFT, LOG STOP & LOADER, STEEL RACES & PLATE, & SUPPORTS TO GROUND
8	1 each LOT, (4) ELECTRIC 3-PH CABLE HOIST W/POWER TRAVEL, BUSS BAR, RAIL (2 SHOWN IN PICTURE, LOCATED ABOVE KOCKUMS BAND MILL)	20	1 each ARMSTRONG TRUESIZER CIRCULAR SAW DUAL SIDE TOOTH GRINDER 18194	30	1 each 15' 7-STRAND H150 CHAIN LOG CROSS OVER DECK W/H&T SPROCKETS, S-DRIVE SHAFT, (2) LOG STOP & LOADERS, STEEL RACES & PLATE (NO STEEL SUB STRUCTURE INCLUDED)
9	1 each 12'X14' WOOD FRAME OFFICE W/AIR CONDITIONER, LIGHTS, ASSORTED MILL PARTS, & SUPPLIES (LOCATED WEST OF KOCKUMS BANDMILL)	21	1 each ARMSTRONG 4LH BANDSAW SHARPENER W/CLAMP, SAW STANDS, DUSTKOP DUST COLLECTOR	31	1 each 25 HP MOTOR W/FALK 25 HP RATED 129:1 RATIO REDUCER, & DRIVE CHAIN (LOT 29 DRIVE)
10	1 each LOT, (4) WINDOW & (1) FLOOR AIR CONDITIONER UNITS ON SECOND FLOOR OF MILL (ALL LOCATED	22	1 each ARMSTRONG 4RH BANDSAW SHARPENER W/CLAMP, SAW STANDS, DUSTKOP DUST COLLECTOR	32	1 each US 20 HP MOTOR W/FALK 20 HP RATED 129:1 RATIO REDUCER, & DRIVE CHAIN (LOT 29 DRIVE)

Weyerhaeuser - 10AM - Thursday - April 10 Held in Pine Hill, Alabama

33 1 each
ALLIS CHALMERS 15 HP
MOTOR W/FALK 15 HP
RATED 126.4:1 RATIO
REDUCER, & DRIVE CHAIN
(LOT 30 DRIVE)

34 1 each
103' 3-STRAND H132
CHAIN LOG HAUL
CONVEYOR ON C.O. SAW
INFEED, W/H&T
SPROCKETS, S-DRIVE, &
STEEL TROUGH (STEEL
SUB-STRUCTURE NOT
INCLUDED)

35 1 each
POWER-TEC 30 HP/1750
RPM BRUSHLESS DC MOTOR
W/DRIVE CHAIN (LOT 34
DRIVE)

36 1 each
1999 SUPERSAW
30RH,SS30 HIGH SPEED
AUTOMATED LOG CUT-OFF
CIRCULAR SAW W/HYD.
FEED ROLLS, & HYD.
SUPPORT UNIT W/PUMPS
(MAIN FRAME NEVER
INSTALLED, LOCATED IN
WAREHOUSE AT WEST END
OF PROPERTY) 6986

37 1 each
72" SWING ARM, HYD.
ACTUATED LOG CUT-OFF
CIRCULAR SAW W/75
HP/460V MOTOR, & LOG
CLAMP (HYDRAULIC UNIT
SOLD AT LOT 38)

38 1 each
SAS 40 HP HYDRAULIC
UNIT W/BRUGHINGHAUS
PUMP, TANK, & HEAT
EXCHANGER

39 1 each
7' X 8'6" SOUND DEADEN
CONTROL CAB W/PUSH
BUTTON CONSOLE, & AIR
CONDITIONER

40 1 each
LOT, 37' MILL CUT-OFF
SAW OUTFEED LOG HAUL
CONVEYOR W/H&T
SPROCKETS, S-DRIVE,
TRIM END LOG SWEEP,
LOG LENGTH STOP
CYLINDERS, OPCON
ELECTRIC EYES, & SOME
H132 CHAIN (NO STEEL
SUB STRUCTURE
INCLUDED)

41 1 each
POWER-TEC 30 HP/1750
RPM BRUSHLESS D.C.
MOTOR W/FALK 96 HP/125
RPM REDUCER W/DRIVE
CHAIN (LOT 40 DRIVE)

42 1 each
SODERHAMN CAMBIO 30"
5-ARM RING DEBARKER
W/75 HP/460V RING
DRIVE MOTOR, HYD. LOG
INFEED/OUTFEED
CENTERING FEED ROLLS,
& HYD. SUPPORT UNIT

43 1 each
14' H150 CHAIN
DEBARKER INFEED LOG
HAUL CONVEYOR W/H&T
SPROCKETS, STEEL
TROUGH, LOG CENTERING
AIR BAGS, HOURGLASS
ROLL, & FALK 15 HP
RATED 100 RPM REDUCER

44 1 each
12' X 45' DIA. ROTARY
DRUM DEBARKER
W/TRUNION ROLLS, 150
HP/460V DRIVE MOTOR
(DEBARKER IS COMPLETE,
DISMANTLED, READY TO
LOAD, LOCATED APPROX.
1/4 MILE SOUTHWEST OF
MILL)

45 1 each
33' TWIN-STRAND H150
CHAIN MILL DEBARKER
OUTFEED LOG HAUL

CONVEYOR W/H&T
SPROCKETS, S-DRIVE, &
STEEL TROUGH

46 1 each
TOSHIBA 30 HP MOTOR
W/FALK 25 HP RATED 100
RPM REDUCER W/DRIVE
CHAIN (LOT 45 DRIVE)

47 1 each
3-ARM PADDLE WHEEL LOG
SWEEP W/HAGGLUNDS
VIKING TYPE UK43-
04700-AO-LN-0100 HIGH
TORGUE HYD. MOTOR, &
SUPPORTING STEEL
STRUCTURE

48 1 each
3-ARM PADDLE WHEEL LOG
SWEEP W/HAGGLUNDS
VIKING TYPE UK43-
04700-AO-LN-0100 HIGH
TORGUE HYD. MOTOR, &
SUPPORTING STEEL
STRUCTURE

49 1 each
14' 2-STRAND 3-3/8"
PITCH CHAIN LOG DECK
W/H-SHAFT, T-
SPROCKETS, LOG STOP &
LOADER, STEEL RACES &
PLATE

50 1 each
18' 4-STRAND H150
CHAIN LOG DECK W/H-
SHAFT, T-SPROCKETS,
STEEL RACES & PLATE

51 1 each
15 HP MOTOR W/FALK 10
HP RATED 30 RPM
REDUCER W/DRIVE CHAIN
(LOT 49 DRIVE)

52 1 each
TOSHIBA 10 HP MOTOR
W/SM CYCLO 24-1/2 HP
RATED/231:1 RATIO
REDUCER, & DRIVE CHAIN
(LOT 50 DRIVE)

Weyerhaeuser - 10AM - Thursday - April 10 Held in Pine Hill, Alabama

W/DRIVE CHAIN (LOT 75
DRIVE)

77 1 each
30' LOG DECK FRAME
W/(2) SETS LOG STOP
ARMS, 18-1/2' LOG STOP
& LOADER, SOME H150
CHAIN, STEEL RACES &
PLATE (NO SHAFTS
INCLUDED)

78 1 each
TOSHIBA 10 HP MOTOR
W/SM CYCLO 24-1/2 HP
RATED/231:1 RATIO
REDUCER (LOT 77 DRIVE)

79 1 each
1999 LINDEN 4-STEP 35-
DEGREE MECHANICAL STEP
FEEDER W/21-1/2'
INSIDE DIAMETER, & SM
CYCLO 59:1 RATIO
REDUCER (LOCATED IN
BUILDING AT WEST END
OF PLANT SITE, NEVER
INSTALLED)

80 1 each
HYDRAULIC SUPPORT UNIT
W/(5) 50 HP DENISON
P7W-ZRIBPC00-00 PUMPS
(LOCATED IN BUILDING
AT WEST END OF PLANT
SITE)

81 1 each
1999 OPITIMIC 6'
VERTICAL TWIN OPPOSED
LINEAR POSITIONING
BANDMILL W/HYD. STRAIN
(LOCATED IN BUILDING
AT WEST END OF PLANT
SITE, NEVER INSTALLED)

82 1 each
KOCKUMS CAN-CAR 6'
VERTICAL OPPOSED
LINEAR POSITIONING,
HYDRAULIC STRAIN
BANDMILL W/125 HP BAND
MILL DRIVE MOTORS,
GEARHEAD DRIVEN
FEED/PINCH ROLLS, 2-

1/2" BOTTOM SPLINE
REMOVAL CHIPPING HEAD,
30' SINGLE STRAND H78
CHAIN OUTFEED CANT
TRANSFER (W/CANT HOLD
DOWNS), DRIVE MOTOR,
8' OUTFEED SIDEBOARD
ROLLCASE, & BANDSAW
BLADES (BLADES IN
DOWNSTAIRS FILING
ROOM)

83 1 each
KOCKUMS CAN-CAR
CHIPPING EDGER SYSTEM
ON BANDSAW INFEED
W/20" DIA. LOG
CAPACITY, 200 HP LEFT
& RIGHT HAND LINEAR
POSITIONING CHIPPING
HEADS, 150 HP PNEU.
SHIFTING TOP CHIPPING
HEAD, 125 HP
STATIONARY BOTTOM
CHIPPING HEAD, 20'
INFEED (W/ALLIGATOR
STYLE BOTTOM CHAIN),
CONE MACHINERY TOP
HOLD DOWN CENTER
ROLLS, WGBM #7835 LOG
DIA. SCANNER, &
GEARHEAD DRIVE LOG
TURNING CHAINS

84 1 each
10'X10' NOISE REDUCED
CHIP-N-SAW CONTROL
BOOTH W/ALL CONTENTS

85 1 each
1989 UKIAH 12' SINGLE
VERTICAL DOUBLE
SPLINED ARBOR EDGER
W/400 HP 460V ARBOR
DRIVE MOTOR, (13)
VERTICAL HYD. KNURLED
PINCH/ FEED ROLLS, OIL
SAWGLIDE SYSTEM, 75 HP
& 15 HP HYD. SUPPORT
UNITS, & 15' SINGLE
STRAND H78 CHAIN
OUTFEED TRANSFER
(MISSING ONE ARBOR
MOTOR)

86 1 each
KOCKUMS CAN-CAR 2-
1/2"X12" CHIPPING
EDGER W/160 HP
VERTICAL CHIPPING HEA
ARBOR, 125 HP HORIZ.
CHIPPING HEAD ARBOR, &
VERTICAL SAW BOX
(W/DRIVE)

87 1 each
LOT, 20'6" CHIPPING
EDGER INFEED ROLLCASE
W/17" CANTED ROLLS,
LUMBER POSITIONING
CHAINS, DRIVES,
ADJUSTABLE FENCE, PUSH
BUTTON CONTROL PANEL,
SETWORK PANEL, & FOOT
CONTROLLERS

88 1 each
LOT, 8'6" 5-STRAND 2-
SECTION H78 CHAIN
TRANSFER ON INFEED TO
CHIPPING EDGER LINE
W/(2) SHAFTS, STEEL
RACES, 3 HP MOTOR,
REDUCER (NO SHAFT
INCLUDED, CONNECTED TO
LOT 89)

89 1 each
40' 5-STRAND H130
ROOFTOP CHAIN LUMBER
LANDING TABLE W/H&T
SHAFTS, STEEL RACES &
PLATE, 5 HP MOTOR, &
FALK 50:1 RATIO
REDUCER

90 1 each
HAMMOND 330 KVA, 480V
TO 575Y/332V 3-PH
STEP-UP TRANSFORMER

91 1 each
ALLEN BRADLEY 1336
PLUS II SENSORLESS
VECTOR 40 HP
ADJUSTABLE FREQUENCY
AC MOTOR CONTROLLER
W/575V INPUT

Weyerhaeuser - 10AM - Thursday - April 10 Held in Pine Hill, Alabama

92	1 each	ALLEN BRADLEY 1336 PLUS II SENSORLESS VECTOR 50 HP ADJUSTABLE FREQUENCY AC MOTOR CONTROLLER W/575V INPUT	99	1 each	ALLEN BRADLEY 1336 PLUS II SENSORLESS VECTOR 10 HP ADJUSTABLE FREQUENCY AC MOTOR CONTROLLER W/575V INPUT	10 HP FUSSED ELECTRONIC MOTOR BRAKES		
93	1 each	ALLEN BRADLEY 1336 PLUS II SENSORLESS VECTOR 50 HP ADJUSTABLE FREQUENCY AC MOTOR CONTROLLER W/575V INPUT	100	1 each	ALLEN BRADLEY 1336 PLUS II SENSORLESS VECTOR 10 HP ADJUSTABLE FREQUENCY AC MOTOR CONTROLLER W/575V INPUT	107	1 each	G.E. 8000 LINE, (6) VERTICAL SECTION, 14- STATION MCC
94	1 each	ALLEN BRADLEY 1336 PLUS II SENSORLESS VECTOR 10 HP ADJUSTABLE FREQUENCY AC MOTOR CONTROLLER W/575V INPUT	101	1 each	ALLEN BRADLEY 1336 PLUS II SENSORLESS VECTOR 10 HP ADJUSTABLE FREQUENCY AC MOTOR CONTROLLER W/575V INPUT	108	1 each	G.E. 5-VERTICAL SECTION, 21-STATION MCC
95	1 each	ALLEN BRADLEY 1336 PLUS II SENSORLESS VECTOR 10 HP ADJUSTABLE FREQUENCY AC MOTOR CONTROLLER W/575V INPUT	102	1 each	ALLEN BRADLEY 1336 PLUS II SENSORLESS VECTOR 10 HP ADJUSTABLE FREQUENCY AC MOTOR CONTROLLER W/575V INPUT	109	1 each	G.E. 8000 LINE, 2- VERTICAL SECTION, 8- STATION MCC
96	1 each	ALLEN BRADLEY 1336 PLUS II SENSORLESS VECTOR 10 HP ADJUSTABLE FREQUENCY AC MOTOR CONTROLLER W/575V INPUT	103	1 each	ALLEN BRADLEY 1336 PLUS II SENSORLESS VECTOR 10 HP ADJUSTABLE FREQUENCY AC MOTOR CONTROLLER W/575V INPUT	110	1 each	G.E. 2-VERTICAL SECTIONS GE MCC W/(2) SIZE 6 MAG STARTERS, (1) 1000 AMP CIRCUIT BREAKER, & (1) 500 AMP CIRCUIT BREAKER
97	1 each	ALLEN BRADLEY 1336 PLUS II SENSORLESS VECTOR 10 HP ADJUSTABLE FREQUENCY AC MOTOR CONTROLLER W/575V INPUT	104	1 each	ALLEN BRADLEY LOT, (2) 50 HP, (1) 40 HP FUSSED ELECTRONIC MOTOR BRAKES	111	1 each	G.E. 7-VERTICAL SECTION, 15-STATION MCC
98	1 each	ALLEN BRADLEY 1336 PLUS II SENSORLESS VECTOR 10 HP ADJUSTABLE FREQUENCY AC MOTOR CONTROLLER W/575V INPUT	105	1 each	ALLEN BRADLEY LOT, (5) 10 HP FUSSED ELECTRONIC MOTOR BRAKES	112	1 each	G.E. 7-VERTICAL SECTION, 28-STATION MCC
			106	1 each	ALLEN BRADLEY LOT, (5)	113	1 each	G.E. LOT, (2) 4- VERTICAL SECTION MCC (8 SECTIONS TOTAL)
						114	1 each	ALLEN BRADLEY SLC-100 PROGRAMMABLE CONTROLLER
						115	1 each	ALLEN BRADLEY RELAY CABINET
						116	1 each	ELECTRICAL CABINET W/(1) ALLEN BRADLEY SIZE 4 MAG STARTER,

Weyerhaeuser - 10AM - Thursday - April 10 Held in Pine Hill, Alabama

(1) GE SIZE 4 REVERSING MAG STARTER, & (2) 250 AMP ADJUSTABLE TRIP CIRCUIT BREAKERS	& PLATE, G.E. 15 HP MOTOR, & FALK 18.1:1 RATIO REDUCER	CONVEYORS W/H&T SPROCKETS, COMMON CENTER WALL ON STEEL TROUGH, 10 HP MOTOR, & FALK 21.13:1 RATIO COMMON DRIVE (LOCATED UNDER UKIAH EDGER)
117 1 each ELECTRICAL CABINET W/ALLEN BRADLEY SLC150 & SLC100 PROGRAMMABLE CONTROLLERS (LOCATED NEAR UKIAH SAWGLIDE SYSTEM)	124 1 each 18' WIDE 8-STRAND 81XH CHAIN LUMBER SINGULATOR W/6'-5 STRAND 81XH CHAIN SINGULATOR LANDING TABLE. C/W ALL SHAFTS, 2 SETS LUMBER KNOCK BACK ARMS, STEEL RACES & PLATE, GE 10HP MOTOR SM CYCLO NO DATA REDUCER	134 1 each 25' H110 DRAG CHAIN WASTE CONVEYOR W/H&T SPROCKETS, STEEL TROUGH, G.E. 5 HP MOTOR, & FALK 45 RPM REDUCER (LOCATED DOWNSTAIRS - SOUTH SIDE OF FILING ROOM)
118 1 each 20' CHIPPING EDGER OUTFEED ROLLCASE W/17" CHAIN DRIVEN ROLLS, & 5 HP MOTOR W/REDUCER	125 1 each 2'X75' BELT CONVEYOR W/H&T DRUMS, S-DRIVE, STEEL TROUGH, APPROX. 30 HP MOTOR, FALK 30 HP RATED/13.49:1 RATIO REDUCER (30" DRUMS)	135 1 each 28' H110 DRAG CHAIN WASTE CONVEYOR W/HEAD SPROCKET, STEEL TROUGH, SLOPES, NO DATA MOTOR W/FALK REDUCER, & DISCONNECT SWITCH
119 1 each WEBSTER 1'X14'6" PAN BOTTOM VIBRATORY CONVEYOR W/DRIVE MOTOR (LOCATED UNDER CHIPPING EDGER OUTFEED)	126 1 each 17"X54' BELT CONVEYOR W/TAIL DRUM, STEEL TROUGH, & MORSE 10 HP RATED/30:1 RATIO REDUCER (NO HEAD DRUM AVAILABLE)	136 1 each SAS 15 HP HYDRAULIC UNIT W/HEAT EXCHANGER
120 1 each WEBSTER 1'X16'6" PAN BOTTOM VIBRATORY CONVEYOR W/DRIVE MOTOR (LOCATED UNDER UKIAH EDGER OUTFEED)	127 1 each 21' CHAIN DRIVEN ROLLCASE W/17" ROLLS	137 1 each SAS 15 HP HYDRAULIC UNIT W/HEAT EXCHANGER
121 1 each APPROX. 45' CHAIN DRIVEN ROLLCASE W/8'5" WIDE ROLLS, G.E. 5HP MOTOR, & MORSE 50:1 RATIO REDUCER	128 1 each 29"X18' BELT CONVEYOR (LEADING TO NEW MILL) W/H&T DRUMS, STEEL TROUGH, G.E. 15 HP MOTOR, & FALK 6.122:1 RATIO REDUCER	138 1 each ROYAL LOT, (2) HYDRAULIC OPERATED CHIP BINS W/AUGER DISTRIBUTION CONVEYOR, & HYD. SUPPORT UNIT (48 UNIT CAPACITY)
122 1 each 27' 5-STRAND H130 ROOFTOP LUMBER LANDING TABLE/TRANSFER W/H&T SHAFTS, STEEL RACES & PLATE, G.E. 10HP MOTOR, & MORSE REDUCER	132 1 each 26"X13' PAN BOTTOM VIBRATORY CONVEYOR W/DRIVE MOTOR (LOCATED DOWNSTAIRS UNDER UKIAH EDGER)	139 1 each DUST COLLECTION SYSTEM W/ATTACHED BLOW PIPE (LOCATED ON TOP OF CHIP BINS) (NO DATA)
123 1 each 8' 7-STRAND LUGGED 81XH INCLINED CHAIN TRANSFER W/H-SHAFT, T- SPROCKETS, STEEL RACES	133 1 each LOT, 40' & 24' H116 DRAG CHAIN WASTE	140 1 each CHIP TRAILER DUMP W/33' HYD. TILT TRAILER DECK (W/HYD. UNIT), MOUNTED ON T/A

Weyerhaeuser - 10AM - Thursday - April 10 Held in Pine Hill, Alabama

CARRIER

(W/OUTRIGGERS), & 8'X45' ACCESS RAMP (LOCATED WEST OF SAWMILL, APPROX. 1/4 MILE DOWN ROAD)	148 1 each HYSTER H80XL 8,000 LB CUSHION-TIRE PROPANE FORKLIFT W/BALE CLAMP, 3-STAGE MAST FSD6057N
141 1 each LOT, LOG SWEEP FRAMEWORK (LOCATED IN WAREHOUSE BUILDINGS ON WEST END OF PROPERTY)	149 1 each HYSTER H80XL 8,000 LB CUSHION-TIRE PROPANE FORKLIFT W/PARTIAL BALE CLAMP, 3 STAGE MAST F005D029274
142 1 each 1994 DODGE INTREPID 4- DOOR SEDAN W/GAS, AUTO, AIR, AM/FM, P/W, P/L, P/S MILEAGE: OVER 100,000 2B3ED56F1RH267015	150 1 each HYSTER H80XL 8,000 LB CUSHION-TIRE PROPANE FORKLIFT W/3 STAGE MAST, (NO MAST ATTACHMENTS) F005D02762K
143 1 each 1994 BUICK 4-DOOR SEDAN W/GAS, AUTO, AM/FM/CASSETTE, P/W, P/L MILEAGE: OVER 100,000 1G4HR52L1RH490455	151 1 each KOMATSU WA30 PNEUMATIC TIRE, ARTICULATED PAYLOADER W/G.P. BUCKET 7539
144 1 each 1993 CHEV BEAUVILLE VAN, AUTO, AM/FM/CASS, AIR, P/W, P/L MILEAGE: EXEMPT 2GAFG35K7P4106131	152 1 each 1989 MACK RD690 10/12 YARD T/A DUMP TRUCK W/MAXI-TORGUE 5-SPEED TRANS, & DIESEL 1M2P195CXKW005219
145 1 each CAT 950 PNEU. TIRE, ARTICULATED FRONT END LOADER W/G.P. BUCKET, POWER SHIFT TRANS, & DIESEL	153 1 each BOBCAT 763 LOT, SKID STEER LOADER PARTS
146 1 each HYSTER 120XL 12,000 LB HRT PROPANE FORKLIFT W/ROLL CLAMP, 3-STAGE MAST, D004V5455N	154 1 each LOT, ASSORTED CIRCULAR SAW BLADES (LOCATED ON WALL IN SAWMILL FILING ROOM)
147 1 each HYSTER H80XL 8,000 LB CUSHION-TIRE PROPANE FORKLIFT W/BALE CLAMP, 3-STAGE MAST G005D04254R	